

## 2g THCA Blunt - Crunch Berry

Sample ID: HR20250490737  
Strain: 2g THCA Blunt - Crunch Berry  
Matrix: Plant  
Type: Preroll  
Sample Size: : Batch:

Produced:  
Collected: 04/15/2025  
Received: 04/15/2025  
Completed: 04/18/2025  
Batch#:

Client  
Flame Brands  
Lic. #  
3620 Pelham Rd, Ste 5-121  
Greenville, SC 29615



### Summary

Test	Date Tested	Result
Batch		Complete
Cannabinoids	04/07/2025	Complete
Moisture	04/07/2025	9.20%

### Cannabinoids

Complete

19.80%	ND	20.62%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit	mg/serving
THCa	0.20000	0.61000	22.25	222.52		
Δ9-THC	0.15000	0.45000	0.29	2.86		
Δ8-THC	0.14000	0.42000	ND	ND		
THCV	0.15000	0.44000	ND	ND		
CBDa	0.10000	0.31000	ND	ND		
CBD	0.15000	0.45000	ND	ND		
CBN	0.16000	0.50000	ND	ND		
CBGa	0.29000	0.88000	0.94	9.35		
CBG	0.13000	0.39000	ND	ND		
CBC	0.14000	0.42000	ND	ND		
Total THC			19.80	198.01	0.00	0.00
Total CBD			ND	ND	ND	ND
Total			20.62	206.21	0.00	0.00
Sum of Cannabinoids			23.47	234.73		

Determination of Cannabinoids by HPLC, HL223

Total THC = Δ9-THCa \* 0.877 + Δ9-THC

Total CBD = CBDa \* 0.877 + CBD

ND = Not Detected; NR = Not Reported; LOD = Limit of Detection; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory, HL105,10-01. Cannabinoid Testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15724. Water activity testing: Pass/Fail decision determined by Department of Cannabis Control CCR title 4 Division 19 §15717.



*Ming Li*  
Ming Li, General Manager  
04/18/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ISO 17025 accredited by A2LA (Certificate No: 4074.01 & 4074.02). Sampling Procedure: SOP HL 110.2; Foreign Material: UV light/Microscope SOP HL 323, SOP HL 324; Water Activity: Water Activity Meter SOP HL 238; Moisture: Drying Oven SOP HL 217.1; All LQC ran in accordance with 4 CCR sec. 15730. This product has been tested by Harrens Lab Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Harrens Lab Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Harrens Lab Inc.